Appl. No.

: 10/068,333

Filed

Feb. 4, 2002

## AMENDMENTS TO THE CLAIMS

1. (CURRENTLY AMENDED) A compound having the following chemical structure:

wherein:

if any  $R_3$ ,  $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{1+}$   $R_{15}$  is not hydrogen,  $R_2$  or  $R_6$  or  $R_9$  is not methyl, or  $R_{10}$  is not  $CH_2$ , then  $R_1$  is selected from the group consisting of hydrogen, a halogen, COOH,  $C_1$ - $C_{12}$  carboxylic acids,  $C_1$ - $C_{12}$  acyl halides,  $C_1$ - $C_{12}$  acyl residues,  $C_1$ - $C_{12}$  esters,  $C_1$ - $C_{12}$  secondary amides,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  tertiary amides,  $C_1$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  ethers,  $C_1$ - $C_{12}$  alkyls,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyls,  $C_2$ - $C_{12}$  substituted alkenyls, and  $C_5$ - $C_{12}$ - $C_{12}$ -aryls; but-with the proviso that if all  $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{11}$ - $R_{13}$  are hydrogen,  $R_2$ ,  $R_6$ , and  $R_9$  are each methyl, and  $R_{10}$  is  $CH_2$ , then  $R_1$  is not COOH,  $C_1$  ester,  $C_1$  secondary amide,  $C_1$  alcohol,  $C_1$  alkyl, or methyl-acetyl ether, selected from hydrogen, a halogen,  $C_1$ - $C_{12}$ -carboxylic acids,  $C_1$ - $C_{12}$ -acyl halides,  $C_1$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12}$ ) ethers other than methyl-acetyl ether,  $C_2$ - $C_{12}$ -alkyls,  $C_1$ - $C_{12}$ -alkenyls,  $C_2$ - $C_{12}$ -alkenyls,  $C_2$ - $C_{12}$ -alkenyls,  $C_2$ - $C_{12}$ -alkenyls,  $C_2$ - $C_{12}$ -alkenyls, and  $C_2$ - $C_{12}$ -aryls;

 $R_2$  and  $R_9$  are each separately selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyl,  $C_2$ - $C_{12}$  substituted alkenyl,  $C_2$ - $C_{12}$  alkynyl,  $C_1$ - $C_{12}$  alcohol,  $C_1$ - $C_{12}$  acyl, and  $C_5$ - $C_{12}$  aryl;

 $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ , and  $R_{11}$ - $R_{13}$  are each separately selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyl,  $C_2$ - $C_{12}$  substituted alkenyl,  $C_2$ - $C_{12}$  alkynyl, and  $C_5$ - $C_{12}$  aryl;

 $R_6$  is selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyl,  $C_2$ - $C_{12}$  substituted alkenyl, and  $C_2$ - $C_{12}$  alkynyl;

Appl. No. : 10/068,333 Filed : Feb. 4, 2002

 $R_{10}$  is selected from hydrogen, a halogen,  $CH_2$ ,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  substituted alkyl,  $C_2$ - $C_6$  alkenyl,  $C_2$ - $C_6$  substituted alkenyl,  $C_1$ - $C_{12}$  alcohol, and  $C_5$ - $C_{12}$  aryl; and

 $R_{14}$  and  $R_{15}$  are separately selected from hydrogen, a halogen,  $CH_2$ ,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  substituted alkyl,  $C_2$ - $C_6$  alkenyl,  $C_2$ - $C_6$  substituted alkenyl,  $C_1$ - $C_6$  alcohol, and  $C_5$ - $C_6$  aryl, with the proviso that  $R_{14}$  and  $R_{15}$  are not both hydrogen;

wherein the compound includes the prodrug esters of the above compounds, and the acidaddition salts thereof.

2. (ORIGINAL) The compound of Claim 1, wherein:

 $R_1$  is selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  carboxylic acids,  $C_1$ - $C_{12}$  acyl halides,  $C_1$ - $C_{12}$  acyl residues,  $C_2$ - $C_{12}$  esters,  $C_2$ - $C_{12}$  secondary amides,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  tertiary amides,  $C_2$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  ethers other than methyl-acetyl ether,  $C_2$ - $C_{12}$  alkyls,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyls,  $C_2$ - $C_{12}$  substituted alkenyls, and  $C_2$ - $C_{12}$  aryls.

3. (ORIGINAL) The compound of Claim 1, wherein:

 $R_1$  is selected from the group consisting of hydrogen, a halogen, COOH,  $C_1$ - $C_{12}$  carboxylic acids,  $C_1$ - $C_{12}$  acyl halides,  $C_1$ - $C_{12}$  acyl residues,  $C_1$ - $C_{12}$  esters,  $C_1$ - $C_{12}$  secondary amides,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  tertiary amides,  $C_1$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  ethers,  $C_1$ - $C_{12}$  alkyls,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyls,  $C_2$ - $C_{12}$  substituted alkenyls, and  $C_5$ - $C_{12}$  aryls.

- 4. (ORIGINAL) The compound of Claim 1, wherein  $R_1$  is selected from the group consisting of  $C_2$ - $C_{12}$  esters and  $C_1$ - $C_{12}$  acyl residues.
- 5. (ORIGINAL) The compound of Claim 1, wherein  $R_1$  is selected from the group consisting of  $C_2$ - $C_6$  esters.
- 6. (ORIGINAL) The compound of Claim 1, wherein  $R_{10}$  is selected from the group consisting of  $C_2$ - $C_6$  alkyl groups and  $C_2$ - $C_6$  alkenyl groups.
- 7. (ORIGINAL) The compound of Claim 1, wherein  $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{11}$ - $R_{15}$  is each hydrogen.
- 8. (ORIGINAL) The compound of Claim 1, wherein  $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{11}$ - $R_{15}$  is each hydrogen;  $R_2$ ,  $R_6$ , and  $R_9$  are each methyl; and  $R_{10}$  is  $CH_2$ .
- 9. (CURRENTLY AMENDED) The compound of Claim 1, wherein  $R_{15}$  is hydrogen, and  $R_{14}$  is selected from hydrogen, a halogen,  $C_2$ - $C_6$  alcohols,  $C_2$ - $C_6$  alkyls,  $C_1$ - $C_6$  substituted alkyls,  $C_2$ - $C_6$  alkenyls,  $C_2$ - $C_6$  substituted alkenyls, and  $C_5$ - $C_6$  aryls.

10-20. (CANCELLED)

Appl. No. Filed

10/068,333

ed : Feb. 4, 2002

## 21. (NEW) A compound having the following chemical structure:

wherein:

 $R_1$  is selected from the group consisting of hydrogen, a halogen, COOH,  $C_1$ - $C_{12}$  carboxylic acids,  $C_1$ - $C_{12}$  acyl halides,  $C_1$ - $C_{12}$  acyl residues,  $C_1$ - $C_{12}$  esters,  $C_1$ - $C_{12}$  secondary amides,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  tertiary amides,  $C_1$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  ethers,  $C_1$ - $C_{12}$  alkyls,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyls,  $C_2$ - $C_{12}$  substituted alkenyls, and  $C_2$ - $C_{12}$  aryls; with the proviso that if all  $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{11}$ - $R_{13}$  are hydrogen,  $R_2$ ,  $R_6$ , and  $R_9$  are each methyl, and  $R_{10}$  is  $CH_2$ , then  $R_1$  is not COOH,  $C_1$  ester,  $C_1$  secondary amide,  $C_1$  alcohol,  $C_1$  alkyl, or methyl-acetyl ether;

 $R_2$  and  $R_9$  are each separately selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyl,  $C_2$ - $C_{12}$  substituted alkenyl,  $C_2$  -  $C_{12}$  alkynyl,  $C_1$ - $C_{12}$  alcohol,  $C_1$ - $C_{12}$  acyl, and  $C_5$ - $C_{12}$  aryl;

 $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ , and  $R_{11}$ - $R_{13}$  are each separately selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyl,  $C_2$ - $C_{12}$  substituted alkenyl,  $C_2$ - $C_{12}$  alkynyl, and  $C_5$ - $C_{12}$  aryl;

 $R_6$  is selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyl,  $C_2$ - $C_{12}$  substituted alkenyl, and  $C_2$ - $C_{12}$  alkynyl;

 $R_{10}$  is selected from hydrogen, a halogen,  $CH_2$ ,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  substituted alkyl,  $C_2$ - $C_6$  alkenyl,  $C_2$ - $C_6$  substituted alkenyl,  $C_1$ - $C_{12}$  alcohol, and  $C_5$ - $C_{12}$  aryl; and

R<sub>14</sub> and R<sub>15</sub> are hydrogen;

wherein the compound includes the prodrug esters of the above compounds, and the acidaddition salts thereof.

## 22. (NEW) The compound of Claim 1, wherein:

Appl. No. : 10/068,333 Filed : Feb. 4, 2002

 $R_1$  is selected from hydrogen, a halogen,  $C_1$ - $C_{12}$  carboxylic acids,  $C_1$ - $C_{12}$  acyl halides,  $C_1$ - $C_{12}$  acyl residues,  $C_2$ - $C_{12}$  esters,  $C_2$ - $C_{12}$  secondary amides,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  tertiary amides,  $C_2$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  ethers other than methyl-acetyl ether,  $C_2$ - $C_{12}$  alkyls,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyls,  $C_2$ - $C_{12}$  substituted alkenyls, and  $C_2$ - $C_{12}$  aryls.

23. (NEW) The compound of Claim 1, wherein:

 $R_1$  is selected from the group consisting of hydrogen, a halogen, COOH,  $C_1$ - $C_{12}$  carboxylic acids,  $C_1$ - $C_{12}$  acyl halides,  $C_1$ - $C_{12}$  acyl residues,  $C_1$ - $C_{12}$  esters,  $C_1$ - $C_{12}$  secondary amides,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  tertiary amides,  $C_1$ - $C_{12}$  alcohols,  $(C_1$ - $C_{12})(C_1$ - $C_{12})$  ethers,  $C_1$ - $C_{12}$  alkyls,  $C_1$ - $C_{12}$  substituted alkyls,  $C_2$ - $C_{12}$  alkenyls,  $C_2$ - $C_{12}$  substituted alkenyls, and  $C_5$ - $C_{12}$  aryls.

- 24. (NEW) The compound of Claim 1, wherein  $R_1$  is selected from the group consisting of  $C_2$ - $C_{12}$  esters and  $C_1$ - $C_{12}$  acyl residues.
- 25. (NEW) The compound of Claim 1, wherein  $R_1$  is selected from the group consisting of  $C_2$ - $C_6$  esters.
- 26. (NEW) The compound of Claim 1, wherein  $R_{10}$  is selected from the group consisting of  $C_2$ - $C_6$  alkyl groups and  $C_2$ - $C_6$  alkenyl groups.
- 27. (NEW) The compound of Claim 1, wherein  $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{11}$ - $R_{15}$  is each hydrogen.
- 28. (NEW) The compound of Claim 1, wherein  $R_3$ - $R_5$ ,  $R_7$ ,  $R_8$ ,  $R_{11}$ - $R_{15}$  is each hydrogen;  $R_2$ ,  $R_6$ , and  $R_9$  are each methyl; and  $R_{10}$  is  $CH_2$ .